

## RESULT 1

NKG7 HUMAN STANDARD: PRT: 165 AA.  
 ID NKG7\_HUMAN STANDARD: PRT: 165 AA.  
 AC Q16617; 37. Created)  
 DT 15-DEC-1998 (Rel. 37, Last sequence update)  
 DT 15-DEC-1998 (Rel. 37, Last sequence update)  
 DT 15-JUN-2002 (Rel. 41, Last annotation update)  
 DE protein NKG7 (Natural killer cell protein 7) (G-CSF-induced gene 1)  
 DE protein (Protein GIG-1).  
 DE NKG7 OR GIG1.  
 OS Homo sapiens (Human).  
 OC Metazoa; Chordata; Craniata; Euteleostomi;  
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominoidea; Homo.  
 OC NCBI TaxID:9606;  
 RN [1]  
 RP SEQUENCE FROM N A. MEDLINE=9309815; PubMed=8458737;  
 RX MEDLINE=94168584; PubMed=7510105;  
 RA Tsurman M.A., Yabe T., Meshery C., Bach F.H., Houchins J.P.;  
 RT "Characterization of a novel gene (NKG7) on human chromosome 19 that  
 is expressed in natural killer cells and T cells.";  
 RT Hum Immunol. 36:34-40(1993).  
 RN [2]  
 RP SEQUENCE FROM N A.  
 RX MEDLINE=94168584; PubMed=7510105;  
 RA Shimane M., Tani K., Maruyama K., Takahashi S., Ozawa K., Asano S.;  
 RT "Molecular cloning and characterization of G-CSF induced gene cDNA.";  
 RT Biochem Biophys Res Commun. 199:26-32(1994).  
 RN [3]  
 RP SEQUENCE FROM N A.  
 RA Church R.L., Li X.L., Wang J.H.;  
 RT "Human chromosome 19q13.4 DNA sequence, including complete sequence  
 for LIM2 and NKG7.";  
 RT Submitted (SEP-2000) to the EMBL/GenBank/DDBJ databases.  
 RN [4]  
 RP SEQUENCE FROM N A.  
 RA Tissue/Blood;  
 RA Strausberg R.;  
 RA Submitted (OCT-2001) to the EMBL/GenBank/DDBJ databases.  
 RC "SUBCELLULAR LOCATION: Integral membrane protein (Potential).  
 RC TISSUE SPECIFICITY: EXPRESSED IN ACTIVATED T CELLS, IN KIDNEY,  
 RC LIVER, LUNG AND PANCREAS. NOT EXPRESSED IN BRAIN, HEART, OR  
 RC SKELETAL MUSCLE. EXPRESSED AT HIGH LEVELS IN TCR GAMMA DELTA-  
 RC EXPRESSION CTL CLONES, AND IN SOME TCR ALPHA BETA-EXPRESSING CTL  
 RC CLONES (BOTH CD4+ AND CD8+), BUT IS NOT EXPRESSED IN OTHER TCR  
 RC ALPHA BETA-EXPRESSING CTL CLONES AND IN CELL LINES REPRESENTING B  
 RC CELLS, MONOCYTES, AND MYELOID CELLS.  
 RC INDUCTION BY G-CSF.  
 RC SIMILARITY: BELONGS TO THE PMP-22 / EMP / MP20 FAMILY.

SGN- Swiss Protein Listings for SGN PROTEIN LIST

Mon Mar 24 09:16:41 2003 us-09-97

QY DR 009608; AAA18209\_1;  
 DR EMBL: S69115; AAB30078\_1;  
 DR EMBL: AF305941; AAC32329\_1;  
 DR EMBL: BC015759; AAC15759\_1;  
 DR Genew; HGNC:7830; NKG7.  
 DR MIM: 606008;  
 DR InterPro: IPR004031; PMP22\_Claudin.  
 DR InterPro: IPR004032; PMP22\_EMP\_MP20.  
 DR Pfam: PF00822; PMP22\_Claudin; 1.  
 DR PROSITE: PS01221; PMP22\_1; FALSE; NEG.  
 DR PROSITE: PS01222; PMP22\_2; FALSE; NEG.  
 KW Transmembrane.  
 FT TRANSMEM 9 29 POTENTIAL.  
 FT TRANSMEM 61 81 POTENTIAL.  
 FT TRANSMEM 92 112 POTENTIAL.  
 FT TRANSMEM 133 153 POTENTIAL.  
 SQ SEQUENCE 165 AA; 17664 MR; QEE2901B65C42AE; CKVc4;

Query Match Score 325.5; TB 1; Len.3th.175;  
 Best Local Similarity 65.3%; Pred. No. 3.1e-21; Gaps  
 Matches 66; Conservative 0; Mismatches 0; Indels 0;

QY 1 MELCRSLALLGGSLGLMFLCLIASTDFWFEAVGPTSAHSGLWPITGHGDITIS----  
 2b 1 MELCRSLALLGGSLGLMFLCLIASTDFWFEAVGPTSAHSGLWPITGHDISSGYIHWVQT 60

QY 53 -----GHPGLVSTIAFAAA 66

fb 61 FSIKAVLVALVSVSFLVSCFPSSLFPKRGPLVSTIAFAA 161

This SWISS-PROT entry is copyright. It is produced through a collaboration  
 between the Swiss Institute of Bioinformatics and the EMBL outstation  
 at the European Bioinformatics Institute. There are no restrictions on its  
 use by non profit institutions as long as its content is in no way  
 modified and this statement is not removed. Usage by and for commercial  
 entities requires a license agreement (See <http://www.isdb-sib.ch/announce/>  
 or send an email to license@isdb-sib.ch).